## Lake Erie Smelting Corp.

29 Superior No Longer Exists Buffalo, NY 14204

Inquiry Number: 3854678.86

February 13, 2014

## **Certified Sanborn® Map Report**



## Certified Sanborn® Map Report

2/13/14

Site Name: Client Name:

Lake Erie Smelting Corp. 29 Superior No Longer Exists Buffalo, NY 14204 Weston Solutions, Inc. 205 Campus Drive Edison, NJ 08837

EDR Inquiry # 3854678.86 Contact: Gerry Gilliland



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Weston Solutions, Inc. were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

#### Certified Sanborn Results:

Site Name: Lake Erie Smelting Corp.

Address: 29 Superior No Longer Exists

City, State, Zip: Buffalo, NY 14204

**Cross Street:** 

**P.O.** # 2.04050160132292E+16

Project: NYSmelters2014
Certification # 86CD-40DC-A975

#### **Maps Provided:**

1986

1981

1950

1926

1899 1889 

 160132292E+16

 Iters2014
 Sanborn® Library search results

 0DC-A975
 Certification # 86CD-40DC-A975

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

Library of Congress

University Publications of America

✓ EDR Private Collection

The Sanborn Library LLC Since 1866™

#### **Limited Permission To Make Copies**

Weston Solutions, Inc. (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

#### **Disclaimer - Copyright and Trademark notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2014 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



#### Sanborn Sheet Thumbnails

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



#### 1986 Source Sheets



215




Volume 2, Sheet 159

Volume 2, Sheet 215

Volume 2, Sheet 221

#### 1981 Source Sheets







Volume 2, Sheet 159

Volume 2, Sheet 215

Volume 2, Sheet 221

#### 1950 Source Sheets








Volume 2, Sheet 214


Volume 2, Sheet 215

Volume 2, Sheet 221

#### 1926 Source Sheets







Volume 2, Sheet 214

Volume 2, Sheet 215

Volume 2, Sheet 221


### 1899 Source Sheets



Volume 2, Sheet 139



Volume 2, Sheet 140



Volume 2, Sheet 161



Volume 2, Sheet 162


## 1889 Source Sheets





Volume 2, Sheet 57



Volume 2, Sheet 57















# Sanborn Map Abbreviations "Linking technology with tradition"



<u>Abbrevia</u>	ation <u>Meaning</u>	<u>Abbrevia</u>	ation <u>Meaning</u>
A	Automobile (usually designates the location of a garage)	HPFS	High pressure fire service
n.	Automobile (usually designates the location of a garage)	H'dw	Hardware
A in B	Automobile located in basement	Hack	Hackney or delivery service
A S	Automatic sprinkler	Hardw	Hardware
Abv	Above	Ho	Hotel or house (as used to designate a warehouse
ACS	Automatic chemical sprinkler	Htr	Heater
AFA	Automatic fire alarm	Hyd	Hydrant
Agr	Agricultural		
Appts	Apparatus	ICRR	Illinois Central Railroad
Apts	Apartments	Imp	Implements
Asb Cl	Asbestos clad	Ins	Insurance
Att'd	Attended	Insts	Instruments
Aud'it'm	Auditorium	Ir Cl	Iron clad
Auto Ho	Automobile house, or garage	K of C	Knights of Columbus
3	Basement, boiler or occasionally brick	11 01 0	rangino or continuous
3&S	Boots and shoes	Lab	Laboratory
BPOE	Benevolent & Protective Order of Elks	Lodg'g	Lodging
3 Sm	Blacksmith	Luth	Lutheran
3'ld'g	Building	Luth'n	Lutheran
3'lr.	Boiler		
3's't	Basement	ME	Methodist Episcopal
Bak'y	Bakery	Mach'y	Machinery
Balc	Balcony	Mak'r	Maker
Bap	Baptist	Manf'y	Manufactory or factory
Bbl	Barrel	Mdse	Merchandise
Bbls	Barrels	Mfy	Manufactory or factory
BE	Brick enclosed elevator	Mill'y	Millinery
Bill'ds	Billiards	Mkg	Making
Bl Sm	Blacksmith	Mo	Motor
Blk Sm	Blacksmith		
Bst	Basement	NS	Not sprinklered
СВ	Cement brick or concrete block construction	OU	Open under
C Br	Concrete brick or coment block construction	Off	Office
Сар'су	Capacity	OII	oc
Carptr	Carpenter	PO	Post office
CBET	Concrete enclosed elevator with traps	Paint'g	Painting
Chem	Chemical	Pat Med	Patent medicines
Chinaw	Chinaware or porcelain	Plumb'g	Plumbing
Chine	Chinaware or porceiain Chinese	Print'g	Printing Printing
Cl	Clad	1 mit g	Timenig
Clo	Clothing	QH	Quadruple (fire) hydrant
Co	Company	Q11	Quadrupic (iiic) nyurant
Comp	Composition construction (i.e. stucco) or compressor	RC	Roman Catholic
Comp Conc	Concrete	R'f	Roof
Conf'y	Confectionary (candy store)	R'm	Room
Confec'y	Confectionary (candy store)  Confectionary (candy store)	R m Rep	Room Repair
Constr'n	Construction	Rep'g	Repairing
Corp'n	Corporation	Repos'ry	Repository
Corp ii	Corporation	Restr't	Restaurant
D	Dwelling	Rf	Roof
DH	Double (fire) hydrant	Rm	Room
DG	Dry goods	Kili	Room
Drs	Doctor's office	S	Store
Dwg	Dwelling	SA	Spark arrestor
Dwg	Dweining		
p	0	S Vac	Store portion of building is vacant
E e ei	Open elevator	Sal	Saloon
E Fl	Each Floor	Sky'ts	Skylights
El Elec	Electric	Sm Ho	Smith, as in gunsmith or blacksmith
	Electrician	Sm Ho	Smokehouse
Eng	Engine	Sp'k'l'rs	Sprinklers
Ent	Entertainment	St'ge	Storage
Episc'l	Episcopal	St'y	Story
ESC	Elevator with self-closing traps	Sta	Station
ET	Elevator with traps	Stat'y	Stationery
Exch	Telephone exchange	7777 7	T: 1 (6 )1 1
Expr	Express (as used to designate a delivery service)	TH	Triple (fire) hydrant
_		Tel	Telephone
F	Flat (as used to designate a delivery service)	Tenemits	Tenements
FA	Fire alarm	TESC	Tile enclosed elevator with self-closing traps
FE	Fire escape	Tinw	Tinware
F Pump	Fire pump	Trimm'g	Trimming
Fill'g Sta	Filling station, or gas station	=	
FI	Floor	U	Upright
Fr Attic	Frame constructed attic	Up	Upright
Frat	Fraternity	VP	Vertical pipe
Fur	Furnishings		
Furn'g	Furnishings	Vac	Vacant
Furne	Furniture	Ven'd	Veneered
CAR		Ven'r'd	Veneered
GAR	Grand Army of the Republic	3377	W/
GT	Gasoline tank	W	Ware, as in warehouse or wareroom
Gal	Gallery	WC	Water closet or toilet
Gall	Gallery	WG	Wire glass skylights
Gall'y	Gallery	W Ho	Warehouse
Gen'l	General (as used to designate a general store)	WPA	Works Progress Administration
Gents	Gentlemen's	W'ks	Works
	Greasing	Whol	Wholesale
Greas'g			
Greas'g Gro	Grocery or groceries	Wkg	Working

The Standard in Environmental Risk Information.

phone: 800.352.0050 • fax: 800.231,6802 • web: www.edrnet.com



## Sanborn Map Legend "Linking technology with tradition"



TILE 1st				
BRICK 1st PYROBAR 1st	Fire proof construction (OR FIRE RESISTIVE CONST'N)	C.B. & BR. CONST'N  ∞		MANSARD ROOF  S REPRESENT OPENINGS,  Window opening in first story.  Window opening in first story.
ADOBE HEIGHT OF BUILD-	Adobe building	C.B. & BR. CONST'N	Mixed construction of C.B. and brick with one wall faced CC	EMS INDICATE STORIES, DUNTING FROM LEFT TO GHT, LOOKING TOWARD  Window openings in second and third stories.  Window openings in second, officers of the second, fourth stories.
ING IN FEET FROM GROUND TO ROOF LINE	Stone building	C.B. & BR. CONST'N	Mixed construction of C.B.	GHT, LOOKING TOWARD BUILDING Windows with wired glass.
(C.BR.)	Concrete, lime, cinder or cement brick	C.B. & Br.	and brick throughout.	Windows with iron or tin clad shutters.
(C.B.)	Hollow concrete or cement block const	r'n		
(CONC.)	Concrete or reinforced concrete const'r	ı		E Open elevator.  Window openings tenth to twenty-second stories
(TILE)	Tile building	6" W	Water pipes and size in inches.	FE Frame enclosed elevator.
NUMBER OF STORIES 4	  Brick building with frame cornice	6" W.PIPE (PRIV	Water pipes of private supply	ET Frame enclosed elevator with traps.  ESC Frame enclosed elevator with self closing traps.
TWO STORIES 2B AND BSMT COM- POSITION ROOF	Brick building with stone front	2 D	House numbers shown nearest to buildings are official or actually up on buildings.	CBET Concrete block enclosed elevator with traps.  TESC Tile enclosed elevator with self closing traps.
SHINGLE ROOF X	Brick building with frame side (DIVIDED BY FRAME PARTITION)	`	Old house numbers shown fur- thest from buildings.	BE Brick enclosed elevator with wired glass door.
(VEN'D)	Brick veneered building			5 Block Iron chimney
BRICK 1 <sup>st</sup>	Brick and frame building			5 Block Iron chimney
FRAME, BRICK LINED	Frame building, brick lined	FP-1962	A fire-resistive building built in 1962 with concrete walls and	V.P. Vertical pipe or (WITH SPARK ARRESTOR)
F = FLAT S = STORE	Frame building, metal clad	(conc.) A-1-a	reinforced concrete frame, floors	stand pipe.  Brck. chmny.
D = DWELLING	Frame building		and roof.	AFA Automatic fire alarm.  Ground elevation
A in B =AUTO. IN BSMT	Iron building Tenant building occupied by various m	anufac-	A fire-resistive building built in	U.P. B. Vertical steam boiler
LOFT	Tenant building occupied by various m turing or occupancies	(METAL PANE)	(8)	- IEP Independent electric Gasoline tank
(ASB.CL.)  NON COMBUSTIBLE ROOF COVERING OF METAL, SLATE, TILE OR	Frame building covered with asbestos  Brick building with brick or metal corr	E-2-b NONCOMB CE	rectly protected steel frame, concrete floors and roof on metal lath, noncombustible ceilings.	plant. (a.u.) Open under
ASBESTOS SHINGLES O	→ Fire wall 6 inches above roof			As Automatic sprinklers.  Siamese fire dept.
SKYLIGHT LIGHTING TOP STORY ONLY	Fire wall 12 inches above roof	NC-1962	A noncombustible building built in 1962 with concrete block walls	L ) Single fire
THREE STORIES	Fire wall 18 inches above roof	(C.B.) H-2-d	unprotected steel columns and beams; concrete floors on metal	Automatic sprinklers in part of dept. connection.
W.G. WIRED GLASS SKYLIGHT	Fire wall 36 inches above roof		lath and steel deck roof.	1 <sup>ST</sup> ONLY  (NOTE UNDER SYMBOL INDICATES PROTECTED PORTION OF BUILDING)
	Fire wall 48 inches above roof			Not sprinklered.
8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Figures 8,12,16 indicate thickness of w Wall without opening and size in inche			Outside vertical pipe on fire escape.
- 2345 — ALL	Wall with openings on floors as designa	I	EZ TI 50' LINE	(FA) Fire alarm box.
	Opening with single iron or tin clad do Opening with double iron or tin clad do	-	Width of street	Single hydrant.
	Opening with standard fire doors		WEEN BLOCK LINES, NOT CURB LINES.)	D.H. Double hydrant.
	Openings with wired glass doors			T.H. Triple hydrant.
(W.T.) WATER TANK		24 Reference	to adjoining page.	Q.H. Quadruple hydrant of the "High Pressure Fire
BRICK I <sup>SI</sup>	Drive or passage way	<b>—</b> ·		H.P.F.S. Service."
	Stable	-	e house, as shown on key map.	FA Fire alarm box of the "High Pressure Fire
<i>A.</i>	Auto. (House or private garage)	Fire pump	).	Service"
(C.B.)	6 19 11 21 21 22 2 2 2 2 2	(36) Under pag		Water pipes of the "High Pressure Fire  [Pipe (H.P.E.S.) Service"
(C.B. & BR.)	Solid brick with interior walls of C.B. or C.B. and brick mixed		+ +-	12" + + Water pipes and hydrants of the "High Pressure Fire Service" as shown on key map.
CO	DING OF STRUCTURAL	LINITS FOR F	IREPROOF AND NON-CO	OMBUSTIBLE BUILDINGS
CODING OF STRUCTURAL UNITS FOR FIREPROOF AND NON-COMBUSTIBLE BUILDINGS FRAMING FLOORS ROOF				
CODE STRUCTU	JRAL UNIT	CODE STRUCTURAL	. UNIT	CODE STRUCTURAL UNIT
A. Reinforced	Concrete Frame.	<ol> <li>Reinforced Co</li> </ol>	oncrete.	a. Reinforced Concrete.
	Concrete Joists, Columns, Beams,		oncrete with Masonry Units.	Reinforced Concrete with Masonry Units.
Trusses, Arc C. Protected St	hes, Masonry Piers.	2. Concrete on N	rete or Gypsum Slabs or Planks. Metal Lath.	Reinforced Gypsum Concrete. Pre-cast Concrete or Gypsum Slabs or Planks.
	Protected Steel Joists, Columns,	Incombustible	Form Boards,	b. Concrete or Gypsum on Metal Lath,
Beams, Trus			Wire Fabric, Steel Deck,	Incombustible Form Boards, Paper-backed
	rotected Steel Frame. rotected Steel Joists, Columns,	and Cellular, l Steel Units.	Ribbed or Corrugated	Wire Fabric, Steel Deck, and Cellular, Ribbed or Corrugated Steel Units.

CODE	STRUCTURAL UNIT	CODE	STRUCTURAL UNIT	<u>C</u>
A.	Reinforced Concrete Frame.	1.	Reinforced Concrete.	a.
B.	Reinforced Concrete Joists, Columns, Beams,		Reinforced Concrete with Masonry Units.	1
	Trusses, Arches, Masonry Piers.		Pre-cast Concrete or Gypsum Slabs or Planks.	1
C.	Protected Steel Frame.	2.	Concrete on Metal Lath,	1
D.	Individually Protected Steel Joists, Columns,		Incombustible Form Boards,	Ь.
	Beams, Trusses, Arches.		Paper-backed Wire Fabric, Steel Deck,	1
E.	Indirectly Protected Steel Frame.		and Cellular, Ribbed or Corrugated	1
F.	Indirectly Protected Steel Joists, Columns,		Steel Units.	ı
	Beams, Trusses, Arches.	3.	Open Steel Deck or Grating.	c.
G.	Unprotected Steel Frame.			1
H.	Unprotected Steel Joists, Columns, Beams,	LAND U	JSE CODE APPLICABLE TO CHANGES DIAGRAMMED AFTER 5/69	1
	Trusses, Arches.		DESCRIPTION AND ADDRESS OF THE PARTY OF THE	d.

The coding for framing, floor and roof structural units as shown above is used in describing the construction of fire-resistive buildings. In addition, reports for fire-resistive buildings will show the date built and wall construction when other than brick. FP buildings have masonry floors and roof; concrete and/or directly or indirectly protected steel framing and day brick, stone or poured concrete walls.

FPX buildings are FP buildings with inferior walls such as concrete block, cement brick, metal or glass panels, etc.

NC buildings have unprotected steel framing and fire-resistive but non-masonry floors and roof.

O. Masonry Bearing Walls.

LAND USE	E CODE APPLICABLE TO	O CHANGES DIA	GRAMMED AFTER 5/6	59
R	RESIDENTIAL	M	MANUFACTURIN	N

R	RESIDENTIAL	M	MANUFACTURI
RT	RESIDENTIAL- TRANSIENT	Р	PUBLIC OR INSTITUTIONAL
С	COMMERCIAL	U	UTILITY
W	WAREHOUSE	Т	TRANSPORTATIO
NUMERICAL	PREFIX INDICATES THE NUMBER	OF ESTABLISH	MENTS IN EACH CATEG

© 2005 by Environmental Data Resources Inc. All rights reserved.

Sanborn Maps® are protected by copyright laws.

Unauthorized reproduction is strictly prohibited.

### EDR Inc. ON

800.352.0050 www.edrnet.com

Incombustible Composition Boards with or

Steel Deck, Corrugated Metal or Asbestos Protected Metal with or without Insulation.

without Insulation.
Masonry or Metal Tiles.